

PREPARED	PIPER AIRCRAFT CORP. DEVELOPMENT CENTER, VERO BEACH, FLA.	Airplane Flight Manual Supplement
CHECKED		Model PA-28-180
APPROVED	REPORT VB-261	PAGE _____

AIRPLANE FLIGHT MANUAL

SUPPLEMENT NO. 2

CENTER OF GRAVITY RANGE

FOR

MODEL PA-28-180

THIS AIRPLANE FLIGHT MANUAL SUPPLEMENT IS APPLICABLE TO AIRCRAFT WITH SERIAL NUMBERS 28-671 TO 28-3072, INCLUSIVE, WHEN PIPER PART NO. 65280-00 TUBE-LANDING GEAR STRUT PISTON IS INSTALLED.

SERIAL NUMBERS 28-3073 TO 28-5859 MAY USE THIS SUPPLEMENT WITH NO ADDITIONAL MODIFICATION TO THE AIRCRAFT.

THIS DOCUMENT MUST BE ATTACHED TO THE AIRPLANE FLIGHT MANUAL

FAA APPROVED:


G. C. Stephen, FAA DDA SO-1
Piper Aircraft Corporation

DATE: September 14, 1970

PREPARED	PIPER AIRCRAFT CORP. DEVELOPMENT CENTER, VERO BEACH, FLA.	Airplane Flight Manual Supplement Model PA-28-180
CHECKED		
APPROVED		REPORT VB-261

PIPER MODEL PA-28-180

Log of Revisions

REVISION NO.	PAGE	DESCRIPTION	APPROVED	DATE
-----------------	------	-------------	----------	------

FAA APPROVED 9/14/70

PREPARED	PIPER AIRCRAFT CORP. DEVELOPMENT CENTER, VERO BEACH, FLA.	Airplane Flight Manual Supplement
CHECKED		Model PA-28-180
APPROVED	REPORT VB-261	PAGE 1 of 2

PIPER MODEL PA-28-180
NORMAL AND UTILITY CATEGORIES

AIRPLANE FLIGHT MANUAL SUPPLEMENT

This supplement must be attached to the Airplane Flight Manual dated August 3, 1962 or August 12, 1964 or April 22, 1969, when the expanded C.G. Envelope is used. The information contained herein supplements the information of the basic Airplane Flight Manual; for limitations, procedures, and performance data not contained in this document, consult the manual proper.

1. Limitations Section The following limitations must be observed in the operation of this airplane with this center of gravity range:

Maximum Weight 2400 lbs.

C. G. Range The datum used is 78.4 inches ahead of wing leading edge at the intersection of the straight and tapered section.

1. Normal Category

Weight (Pounds)	Forward Limit (In. Aft of Datum)	Rearward Limit (In. Aft of Datum)
2400	91.0	94.5
2200	87.8	95.9
2150	87.0	95.9
1650	84.0	95.9

2. Utility Category

Weight (Pounds)	Forward Limit (In. Aft of Datum)	Rearward Limit (In. Aft of Datum)
1950	85.8	86.5
1650	84.0	86.5

2. Procedures "No Change"

3. Performance "No Change"

FAA APPROVED 9/14/70

REVISED

C. G. RANGE AND WEIGHT

